

RM SHARP BEAUTY ABRASIVE PAPER - AP50M

AP50M

Technical Data

Available grits:

P80, P120, P180, P240, P320, P400, P500, P600

- **Grain** Aluminium Oxide
- **Backing** Letax Paper
- **Coating** Open Coat
- **Bond** Resin / Resin

Product Information


● Feature:

- Perfect sanding performance
- High sanding efficiency
- Super Anti-clogging

● Advantage:

- Coarse grits are very sharp
- Less clogging thanks to stearate coating, Homogeneous sanding finish
- Special planting technology could effectively prevent dust clogging
- Can work together with kinds of sanding machine, for putty and primer sanding
- High cost performance.

Field Application



Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Grinding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com




RM SHARP BEAUTY ABRASIVE PAPER - AP50M

AP50M



AP50M is a product with special backing paper and grain, provides a fast cut, long life and professional results, can be widely used in sanding automobile, electron, special material and so on.



Faster
Sanding

Aggressive
Performance

High
Efficient

RIKEN
砂纸·砂布

Add: No 8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Email: rm3@rikenmt.com
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: <http://www.rikenmt.com>



RM SHARP BEAUTY ABRASIVE PAPER - CP36

CP36

Technical Data

Available grits:

P60, P80, P100, P120, P150, P180, P240, P320, P400,
P600, P800, P1000, P1200

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Coating** Collee Coat
- **Bond** Resin / Resin



Product Information

● Feature:

- Perfect sanding performance
- Higher sanding efficiency
- Super flexibility

● Advantage:

- Super waterproof ability, not curl under the water
- Sharper than common product, higher sanding efficiency
- Longer life, double life than similar product
- Choose flexible based paper, better to avoid paper broken
- Same scratch with similar product in the market

Field Application



- Suitable for different kinds of wet sanding in automotive, electronic and other special material.

Grit Suggestion

Sanding putty

P60 → P80 → P100 → P120 → P150
P180 → P220 → P240 → P280 → P320



Sanding before primer

P400 → P600 → P800



Sanding Primer

P800 → P1000



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



RM SHARP BEAUTY ABRASIVE PAPER - CP36



CP36



Suitable for wet and dry sanding, good flexibility, keep uncurl in the water, used for curve surface sanding. Mainly used for paint, automotive, electronic, special material and so on.



High
Efficient

Longer
Life

Aggressive
Performance

RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



RM DUST FREE ABRASIVE CLOTH - CG-V



CG-V

Technical Data

Available grits:

P60, P80, P100, P120, P150, P180, P220, P240, P320, P400, P600

- **Grain** Aluminum Oxide
- **Backing** Mesh Cloth
- **Coating** Open Coat
- **Bond** Resin / Resin



Product Information

● Feature:

- Perfect sanding performance
- High sanding
- Super Anti-clogging

● Advantage:

- Mesh backing
- Perfect dust free performance
- Anti-clogging
- High sanding power and long life
- High cost performance



Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Grinding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



RM DUST FREE ABRASIVE CLOTH - CG-V



CG-V



CG-V supply high performance and long sanding life. Dust free sanding keep environment clean. It is designed for sanding putty, primers, lacquers, paint, composite material, wood and so on. It's a high cost performance products.



Aggressive
Performance

Better

Faster
Sanding

RIKEN
砂纸·砂布

Add: No 8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Email: rm3@rikenmt.com
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: <http://www.rikenmt.com>



RM SHARP BEAUTY ABRASIVE PAPER - CP38

CP38

Technical Data

Available grits:
P1500, P2000

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Coating** Close Coat
- **Bond** Resin / Resin

Product Information

● Feature:

- Long life
- Super flexible
- Perfect sanding performance

● Advantage:

- Very flexible, suitable for wet hand sanding.
- Good waterproof, it keeps uncurl in water.
- Special treated backing provides long life.
- Provide very smooth even polishing surface before waxing.
- Perfect sanding performance

Field Application



- Usually used in defective paint surface, pretreatment before mirror polishing and other related polishing.



Steps

1 Sanding defective paint surface



2 Polishing with polishing wax



Perfect



Suggestion for polishing

- Match with sponge abrasives for better surface performance.

RIKEN
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Email: rm3@rikenmt.com
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



RM SHARP BEAUTY ABRASIVE PAPER - CP38



CP38



CP38 has special paper backing. It keeps uncurl in the water. Usually used in precise surface sanding before polishing.



Better
Scratch

Flexible

High
Efficient

RIKEN
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Email: rm3@rikenmt.com
Post Code: 255086

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



RM ABRASIVE FILM - AF37M



AF37M

Technical Data

Available grits:

P60, P80, P100, P120, P180, P240, P320, P400, P500, P600, P800, P1000, P1200, P1500, P2000

- **Grain** Aluminium Oxide
- **Backing** PET
- **Coating** Open Coat
- **Bond** Resin / Resin

Product Information

● Feature:

- Perfect sanding performance
- High sanding efficiency
- Super Anti-clogging

● Advantage:

- Polyester film, Wear-resistant and durable, long life
- Even surface provides an outstanding finish. For dry and wet sanding
- Special struwing technology could effectively prevent clogging
- Suitable for different curved surface and paint sanding.



Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180

Sanding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400

Primer sanding

P400 → P500 → P600



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com




RM ABRASIVE FILM - AF37M

AF37M



AF37M is a special product suitable for fast sanding. the special treated polyester film backing and grain is much more strong and flat.Used as Velcro and PSA DISC, suitable for different curved surface and paint sanding.



Faster
Sanding

Aggressive
Performance

High
Efficient

RIKEN
砂纸·砂布

Add : No 8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: <http://www.rikenmt.com>



CURVE SURFACE PRECISE POLISHING PRODUCTS

Sponge abrasives

Technical Data

Available grits:
P1500, P2000, P2500, P3000

- **Grain** White Aluminum Oxide
- **Backing** Velcro (thin), Sponge(thick)
- **Bond** Resin/Resin

Product Information

● **Feature:**

- Suitable for pretreatment of primer, lacquer and polishing.
- Flexible construction allows it to create a smooth sanding pattern on edges and angled surfaces.
- For wet and dry sanding



PSA abrasive disc rolls

Technical Data

Available grits:
P1500, P2000, P3000

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Size** 32mm

Product Information

● **Feature:**

- Well suited for spot polishing by hand or mini senders
- For wet and dry sanding
- High cost performance



Add: No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



CURVE SURFACE PRECISE POLISHING PRODUCTS

Non-Woven Pad

Technical Data

Available grits:

P400, P800, P1200, P1500, P2000

- **SIZE** 100*200mm
- **Grain** Aluminum Oxide /Silicon Carbide
- **Color** Red/Grey
- **Bond** Resin /Resin
- **Backing** Non-woven

Product Information

● Feature:

- The Special structure creates an excellent base for the next lacquer layer
- Suitable for curve surfaces and award area sanding
- For wet and dry sanding



Abrasive Paper with Foam

Technical Data

Available grits:

P400, P600, P800

- **Grain** Aluminum Oxide
- **Backing** Abrasive Paper with Foam
- **Size** 115*125mm

Product Information

● Feature:

- Soft and flexible, the foam base is grip friendly and applies pressure evenly.
- Developed for sanding irregular surface, angled surface and edges
- Use for wet and dry modes



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code :255086

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: [Http://www.rikenmt.com](http://www.rikenmt.com)

